| Se | arch No | otes |
|----|---------|------|
| | | |
| | | |
| | | |

| Application/Control No. | Applicant(s)/Patent under Reexamination | |
|-------------------------|---|---|
| 10/539,920 | SCHOU ET AL. | |
| Examiner | Art Unit | , |
| Richard M. Camby | 3661 | |

| SEARCHED | | | |
|----------|----------------------|-----------|----------|
| Class | Subclass | Date | Examiner |
| 701 | 36 45 46 47 | 3/30/2007 | RC |
| 280 | 734 735 | | |
| 180 | 271 272 | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | : | |
| | | | |
| | | | |

| INTERFERENCE SEARCHED | | | |
|-----------------------|----------|--------|----------|
| Class | Subclass | Date | Examiner |
| Seel | 6.1 | 16,50 | me |
| | | 6/1/67 | nc |
| | | 7 / | |
| | | 72-1 | |
| | | | |

| | DATE | |
|---|------|------|
| | | EXMR |
| | | |
| | | |
| • | | |
| • | | |
| | ļ | |
| • | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| • | | |
| | | |
| | | · |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | · | |